

# Active DisplayPort 1.4 to HDMI Adapter 8K with HDR function

## Description

This adapter by Delock enables the connection of an **HDMI monitor, projector or TV** to the device with a free DisplayPort interface. Due to the small dimensions, the adapter is ideal as on the go companion.

### Excellent picture quality

The adapter supports a resolution up to **8K Ultra HD** (7680 x 4320 @ 60 Hz), which is four times the resolution of 4K and is backward compatible to 4K Ultra HD and Full-HD 1080p. Thus, the Delock adapter can be used for applications such as photo and video editing, digital video walls and gaming.

### Supports HDR

By the support of the HDR (High Dynamic Range) function, the screen can be displayed sharper, clearer and more vivid.

### Active adapter

The adapter offers an active conversion, thus it is also suitable for graphics cards that are not capable of outputting DP++ signals.



## Specification

- Connectors:
  - 1 x DisplayPort male
  - 1 x HDMI-A female
  - 1 x USB Type-C™ female (optional for power supply)
- Chipset: Realtek RTD2173
- DisplayPort 1.4 specification
- Resolution:
  - with DSC:  
7680 x 4320 @ 60 Hz
  - without DSC:  
7680 x 4320 @ 30 Hz
  - (depending on the system and the connected hardware)
- Transmission of audio and video signals
- Supports 3D displays
- Supports HDR10
- Supports HDCP 1.4 and 2.2
- Plug & Play
- Housing material: aluminium
- Cable length without connectors: ca. 20 cm
- Colour: black / grey

## System requirements

- A free DisplayPort female port

## Package content

- Adapter DisplayPort to HDMI

## Item no. 63118

EAN: 4043619631186

Country of origin: China

Package: Retail Box



Images





General	
Function:	Plug & Play
Specification:	HDCP 1.4
	HDCP 2.2
	DisplayPort 1.4
Interface	
Output:	1 x HDMI-A female
Input:	1 x DisplayPort 20 pin male
Technical characteristics	
Chipset:	Realtek RTD2173
Maximum screen resolution:	7680 x 4320 @ 60 Hz
Signal transmission:	video
	audio
Physical characteristics	
Housing material:	Aluminium
Cable length:	20 cm (without connector)
Colour:	grey