Technical Specifications

HP E24q G5 QHD Monitor




1. Power Button

Front 2. LED Power



Technical Specifications

HP E24q G5 QHD Monitor



- 1. Joypad OSD button
- **2.** Security Cable Slot
- 3. Power Connector
- 4. HDMI 1.4 Port

Back

- 5. DisplayPort[™] 1.2
- 6. USB-B Port
- 7. SuperSpeed USB Type-A 5Gbps signaling rate (2)
- 8. SuperSpeed USB Type-A 5Gbps signaling rate (2) 1 charging



Technical Specifications

Model: 6N4F1AA

Panel Specifications	Display Size (Diagonal)	23.8 inch (60.5 cm)
r and specifications	Viewable Diagonal Size	23.8 inch (60.5 cm)
	Panel Technology	IPS
	Max Refresh Rate	75Hz
	Native Resolution	QHD (2560 x 1440)
		True 8 bit
	Panel Bit Depth	
	Aspect Ratio	16:9
	Brightness (Typical)	300 nits
	Contrast Ratio (Static)	1000:1
	Dynamic Contrast Ratio	8M:1
	Flicker Free	Yes
	Pixel Pitch	0.21 x 0.21 mm
	Pixels Per Inch (PPI)	123 PPI
	Display Colors	Up to 16.7 million colors supported
	Backlight Lamp Life Minimum (To Half	30k
	Brightness - In Hours)	JOK
	Backlight Type	Edge-lit
	Screen Treatment	Anti-glare
	Hardness	ЗН
	Haze	25%
	Response Time (Typical)	5ms GtG (with overdrive)
	Horizontal Viewing Angle	
	(Typical Cr>10)	178°
	Vertical Viewing Angle (Typical Cr>10)	178°
	Panel Active Area Metric (W X H)	52.69 x 29.64 cm
	Panel Active Area Imperial (W X H)	20.75 x 11.67 in
	-	typical specifications provided by HP's component
	manufacturers; actual performance may vary e	
		-
Color	sRGB	99%
Color Management	Color Space/ Subsampling Support	RGB 4:4:4, YCBCR 4:4:4, YCBCR 4:2:2
	RGB Channel Adjust	Yes, Gain
	Default Color Temperature	Neutral (6500K)
Monitor Specifications	Bezel Type	3-sided borderless
Homeor Specifications	Color Of Stand	Black & Silver
	Color Of Head	Black
	Tilt	Yes, -5~+23°
	Swivel	±45°
	Pivot	±90°
	Height Adjust Range	150 mm
	Vesa Mounting	100 mm x 100 mm
	Security Lock	Security lock-ready
	Detachable Stand	Yes
	Warranty	3/3/0 for LA, NA, EMEA, APJ
	- ,	(3/3/3 in select APJ Countries)

rechnical Specifica		
	Low Blue Light	Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution certified)
	Management Software	HP Display Center, HP Display Manager*
	-	*Host PC requires Windows 10 and above. HP Display Center is
		available on the Microsoft store.
On Screen Display	On Screen Display	Brightness+, Color Control, Image Control, Input Control,
(OSD)	on screen bisplay	Power Control, Menu Control, Management, Information,
		Exit
	Native Resolution	QHD (2560 x 1440)
	hative negotiation	NOTE: DisplayPort 1.2 or HDMI 1.4 required to drive panel at its
		native resolution.
	Maximum Resolution	QHD (2560 x 1440 @ 75 Hz)
	Preset Graphic Modes/Supported	640 x 480 @ 60Hz
	Resolutions	640 x 480 @ 75Hz
		720 x 400 @ 70 Hz
		800 x 600 @ 60 Hz
		800 x 600 @ 75 Hz
		1024 x 768 @ 60 Hz
		1024 x 768 @75 Hz
		1280 x 720 @ 50 Hz
		1280 x 720 @ 60 Hz
		1280 x 800 @ 60 Hz
		1280 x 1024 @ 60 Hz
		1280 x 1024 @ 75 Hz
		1440 x 900 @ 60 Hz
		1600 x 900 @ 60 Hz
		1680 x 1050 @ 60 Hz
		1920 x 1080 @ 50 Hz
		1920 x 1080 @ 60 Hz
		1920 x 1080 @ 75 Hz
		1920 x 1200 @ 60 Hz 1600x1200 @ 60Hz
		2560x1440 @ 75Hz
		2560 x 1440 @ 60Hz
	Minimum Vertical Scan Rate	50 Hz
	Maximum Vertical Scan Rate	75 Hz
	Minimum Horizontal Scan Rate	30.0 kHz
	Maximum Horizontal Scan Rate	115.0 kHz
	Maximum Pixel Clock	300.0 MHz
	User-Assignable Function Buttons	Yes, 4 (6 options)
	-	11 (English, Spanish, German, French, Italian,
	Languages	Netherlands, Portuguese, Japanese, T-Chinese, S-Chinese
		and Russian)
Connector Types	DisplayPort™	1 DisplayPort™ 1.2
	HDMI	1 HDMI 1.4
	HDCP	Yes, DisplayPort [™] and HDMI

	USB-A	4 SuperSpeed USB Type-A 5Gbps signaling rate (1
		charging)
	USB-B (Hub Enablement)	1 USB-B
Special Features	SWITCH	Monitor Power button
		Next Active Input/ Up button
		Information / Down button
		Brightness / Left button
		Color / Right button
		Menu / Enter button
	User Presets	18
Power & Operating	Power Supply	Internal
Specs	Power Source	100 – 240 VAC 50/60 Hz
	Power Consumption- Max	56W
	Energy Saving/Stand By Mode	0.5W
	Power Consumption - Typical	39W
Energy Star Data	Operational Mode at 100 VAC	17.61W
	Operational Mode at 115 VAC	17.56W
	Operational Mode at 230 VAC	17.7W
EU Energy Efficiency	On-mode Power Consumption for	1014
Class (ErP LOT-5)	Standard Dynamic Range (SDR)	18W
	ErP LOT5 Energy Efficiency Class for	t E
	Standard Dynamic Range (SDR)	G
Operating Conditions	Operating Temperature - Celsius	5° – 35°C
	Operating Temperature - Fahrenheit	41° – 95°F
	Non-Operating Temperature - Celsius	–40° – 65°C
	Non-Operating Temperature - Fahrenheit	-40° – 149°F
	Operating Humidity	20 – 80% Relative Humidity (non-condensing)
	Non-Operating Humidity	5-95%
	Operating Altitude	0 – 5,000 m (16,400 ft.)
	Non-operating Altitude	0 – 12,192 m (40,000 ft.)
Certifications and	Low Halogen	Yes*
Compliances		*External power supplies, WWAN modules, power cords, cables and peripherals excluded.
	Agency Approvals and Certifications	WW application
		CE/CB/KC/KCC/NOM/PSB/ICE/TUV-S/ISO 9241-
		307/cTUVus/GS/ISC/CCC/CEL/CECP/SEPA/TCO/TCO
		Certified Edge/Hardware Low Blue Light/Energy
		Star/ISC/VCCI/FCC/BSMI/BIS/NRCS/UAE/Ukraine/Ukraine
		EE/WEEE/TGM/PSE/E-Standby (Korea MEPS)/EAC
	Microsoft WHQL Certification	Win 11 (x64 only), Win 10 (x64 only)
	ENERGY STAR [®] Certified	Yes

HP E24q G5 QHD Monitor

	EPEAT® Registered Regions need to verify by country	EPEAT [®] Gold in United State	S*
	China Energy Label TCO Certified Edge TCO Certified	*Based on US EPEAT® registrati 2018 EPEAT®. Status varies by http://www.epeat.net for mo CEL Grade 1 Yes Yes	country. Visit
	SmartWay Transport Partnership - NA only	Yes (NA sku)	
Contains Recycled Plastics	Contains Recycled Plastics	Contains Ocean-Bound Plastic loop plastic** *All plastic parts contain ocean- ocean-bound plastic contained product. ** ITE Derived Closed Loop Plas definition set in the IEEE 1680.1	-bound plastic. Percentage of in each component varies by tic percentage is based on the
	Recycled Metals		* s a percentage of the total weight 4021 definitions for metal parts
	Recyclable Packaging (Box, packing materials)	Outside Box and corrugated sustainably sourced and rec Molded Paper Pulp Cushion i sustainably sourced and rec	yclable* inside box is 100% yclable** d corrugated cushions made from nd recycled fibers.
		<u>Metric</u>	<u>Imperial</u>
Unit Product/Package Specifications	Product Dimensions (Unpacked with stand) (W x D x H)	53.94 x 21.1 x 50.7 cm	21.24 x 8.31 x 19.96 inch
Specifications	Product Dimensions (Packed) (W x D x H)	62.1 x 14 x 40 cm	24.45 x 5.51 x 15.75 inch
	Display Head Dimensions (Unpacked without stand) (W x D x H)	53.94 x 4.7 x 32.26 cm (w/o hinge) 53.94 x 7.5 x 32.26 cm (w/ hinge)	21.24 x 1.85 x 12.7 inch (w/o hinge) 21.24 x 2.95 x 12.7 inch (w/ hinge)
	Base Area Footprint	242 x 187 mm	9.53 x 7.36 inch
	(w x d mm)	D. H 10.10	
	Bezel Measurements Product Weight (Unpacked with stand)	Bottom: 18.10 mm 5.82 kg	Bottom: 0.71inch 12.83 lb
	Product Weight (Packed)	8.42 kg	18.55 lb
	Product Weight (Head Only)	3.81 kg (w/o hinge) 4.18 kg (w/ hinge)	8.38 lb (w/o hinge) 9.22 lb (w/ hinge)
	(field Only)	т. то ку (w/ пшус/	



Technical Specifications

Pallet Dimensions (L x W x H mm)	(20' ft/40' ft) Slip Sheet: 1126 x 627 x 2025 mm (20' ft/40' ft) Pallet: 1126 x 627 x 2145 mm (40' HQ) Slip Sheet: 1126 x 627 x 2428 mm (40' HQ) Pallet: 1126 x 627 x 2548 mm	(20' ft/40' ft) Slip Sheet: 44.33 x 24.69 x 79.72 inch (20' ft/40' ft) Pallet: 44.33 x 24.69 x 84.45 inch (40' HQ) Slip Sheet: 44.33 x 24.69 x 95.59 inch (40' HQ) Pallet: 44.33 x 24.69 x 100.31 inch
Pallet Total Weight	Slip Sheet: 343.3 kg (40' ft&20' ft) Slip Sheet:411.9 kg (40' HQ) Pallet: 352.3 kg (40' ft&20' ft) Pallet:420.9 kg (40' HQ)	Slip Sheet:755.26 lb (40' ft&20' ft) Slip Sheet: 906.18 lb (40' HQ) Pallet: 775.06 lb (40' ft&20' ft) Pallet:925.98 lb (40' HQ)
Pallet Layers	5 layers per pallet (20' ft/40'	ft)
Pallet Product per Laver		
	40 sets per pallet (20' ft/40'	ft)
Total Flouncis per Fallet	48 sets per pallet (40' HQ)	
Container Load, 20-Foot	-	
Container Load, 40-Foot	1520 sets (slip sheet) 1520 sets (pallet)	
Container Load, 40-Foot HighQ	1824 sets (slip sheet) 1824 sets (pallet)	
AC power cord (1.83m) 5.9ft HDMI 1.4 cable (1.8m) 5.9 ft USB 3.0 B-A cable (1.8m) DP 1.2 cable (1.8m) Warranty Quick Setup Poster		
User Guide Languages Warranty Languages	Spanish, Swedish, Thai, Turk English US (EN), English AP (I English UK (EN-GB), Arabic (A (ID), Bosnian (BS), Bulgarian Chinese-T (TW), Croatian (HR Dutch (NL), Estonian (ET), Fir	ish, Estonian, Finnish, rew, Hungarian, Italian, atvian, Lithuanian, se (Brazilian), Portuguese , Serbian, Slovak, Slovenian, rey, Ukrainian EN-AP), English LA (EN-LA), AR) -17x, Bahasa Indonesia (BG), Chinese-S (CN), R), Czech (CS), Danish (DA), anish (FI), French Canadian
	(L x W x H mm) Pallet Total Weight Pallet Layers Pallet Product per Layer Total Products per Pallet Container Load, 20-Foot Container Load, 40-Foot Container Load, 40-Foot HighQ AC power cord (1.83m) 5.9ft HDMI 1.4 cable (1.8m) 5.9 ft USB 3.0 B-A cable (1.8m) DP 1.2 cable (1.8m) Warranty Quick Setup Poster User Guide Languages	(L x W x H mm)1126 x 627 x 2025 mm (20' ft/40' ft) Pallet: 1126 x 627 x 2145 mm (40' HQ) Slip Sheet: 1126 x 627 x 2428 mm (40' HQ) Pallet: 1126 x 627 x 2428 mm (40' HQ) Pallet: 1126 x 627 x 2548 mmPallet Total WeightSlip Sheet: 343.3 kg (40' ft&20' ft) Slip Sheet:31.9 kg (40' HQ) Pallet: 352.3 kg (40' ft&20' ft) Pallet:420.9 kg (40' HQ)Pallet Layers5 layers per pallet (20' ft/40' 6 layers per pallet (20' ft/40' d sets per pallet (20' ft/40' 48 sets per pallet (20' ft/40' 48 sets per pallet (20' ft/40' 48 sets per pallet (20' ft/40' 1520 sets (slip sheet) 1520 sets (pallet)AC power cord (1.83m) 5.9 ft HDMI 1.4 cable (1.8m) Warranty Quick Setup PosterArabic, Bahasa Indonesia, Bu T, Czech, Danish, Dutch, Engi French, German, Greek, Heby Japanese, Kazakh, Korean, L Norwegian, Polish, Portugue (Iberian), Romanian, Russian Spanish, Swedish, Thai, Turk English UK (EN-GB), Arabic (40) (D), Bosnian (B5), Bulgarian Chinese-T (TW), Croatian (HE



Hebrew (HE), Hungarian (HU), Italian (IT), Japanese (JA),

Technical Specifications

Kazakh (KK), Korean (KO), Latvian (LV), Lithuanian (LT), Norwegian (NO), Polish (PL), Portuguese, Brazilian (BR), Portuguese, Iberian (PT), Romanian (RO), Russian (RU), Serbian (SR), Slovak (SK), Slovenian (SL), Spanish, Castilian (ES-ES), Spanish, Latin America (ES-MX), Swedish (SV), Thai (TH) Turkish (TR), Ukrainian (UK), Vietnamese (VI)



Technical Specifications

ENVIRONMENTAL DATA

ENVIRUNMENTAL DATA			
Eco-Label Certifications & declarations	 This product has received or is in the process of being certified to the following approvals and may be labeled with one or more of these marks: IT ECO declaration US ENERGY STAR[®] US Federal Energy Management Program (FEMP) EPEAT[®] Gold registered in the United States. See http://www.epeat.net for registration status in your country. TCO Certified Edge China Energy Conservation Program (CECP) China State Environmental Protection Administration (SEPA) Taiwan Green Mark Korea Eco-label Japan PC Green label* 		
Sustainable Impact Specifications	 85% ITE – derived closed loop plastic 25% recycled metal Low halogen Outside Box and corrugated cushions are 100% sustainably sourced and recyclable Molded Paper Pulp Cushion inside box is 100% sustainably sourced and recyclable 		
System Configuration	The configuration used for the Energy Consumption and Declared Noise Emissions data for the Notebook model is based on a "Typically Configured Notebook".		
Energy Consumption (in accordance with US ENERGY STAR® test method)	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz
Normal Operation (Short idle)	17.56 W	17.7 W	17.61 W
Normal Operation (Long idle)	17.56 W	17.7 W	17.61 W
Sleep	0.15 W	0.22 W	0.14 W
Off	0.11 W	0.18 W	0.1 W
	NOTE: Energy efficiency data liste	ad is for an ENEDCY STAD® of	moliont product if offered within the model
	family. HP computers mark Environmental Protection family does not offer ENER	ked with the ENERGY STAR® Agency (EPA) ENERGY STAR® RGY STAR® compliant configu PC featuring a hard disk drive	Logo are compliant with the applicable U.S. ⁹ specifications for computers. If a model urations, then energy efficiency data listed is ¹⁰ , a high efficiency power supply, and a
Heat Dissipation*	family. HP computers mark Environmental Protection family does not offer ENER for a typically configured F	ked with the ENERGY STAR® Agency (EPA) ENERGY STAR® RGY STAR® compliant configu PC featuring a hard disk drive	Logo are compliant with the applicable U.S. specifications for computers. If a model irations, then energy efficiency data listed is
Heat Dissipation* Normal Operation (Short idle)	family. HP computers marl Environmental Protection family does not offer ENER for a typically configured F Microsoft Windows® opera	ked with the ENERGY STAR® Agency (EPA) ENERGY STAR® RGY STAR® compliant configu PC featuring a hard disk drive Iting system.	Logo are compliant with the applicable U.S. ⁹ specifications for computers. If a model urations, then energy efficiency data listed is a, a high efficiency power supply, and a
Normal Operation (Short	family. HP computers mark Environmental Protection family does not offer ENER for a typically configured P Microsoft Windows® opera	ked with the ENERGY STAR® Agency (EPA) ENERGY STAR® RGY STAR® compliant configu PC featuring a hard disk drive hting system. 230VAC, 50Hz	Logo are compliant with the applicable U.S. ⁹ specifications for computers. If a model urations, then energy efficiency data listed is a high efficiency power supply, and a 100VAC, 50Hz



Off	0.4 BTL	J/hr	0.6 BTU/hr		0.3 BTU/hr
	*NOTE: Heat dissipation is calculated based on the measured watts, assuming the service level is attained for one hour.				
Longevity and Upgrading	-	This product can be upgraded, possibly extending its useful life by several years. Upgradeable features and/or components contained in the			
	Spare parts ar production.	Spare parts are available throughout the warranty period and or for up to "5" years after the end of production.			
Additional Information	direct • This F (WEE) • This p Drink • This p www. • Plasti ISO10	ive - 2011/ IP product is E) Directive product is in ing Water ar product is in epeat.net ics parts wei 043.	compliance with the Restrict 55/EC. designed to comply with the 2002/96/EC. compliance with California P d Toxic Enforcement Act of compliance with the IEEE 166 ghing over 25 grams used in .6% recycle-able when prop	e Waste Electrica roposition 65 (St 1986). 80 (EPEAT) stanc the product are	al and Electronic Equipment rate of California; Safe dard at the Gold level, see marked per ISO11469 and
Packaging Materials	External:	PAPER/Cor	rugated		777 g
		PAPER/Cor	rugated		440 g
		PAPER/Mol	ded Pulp		476 g
	Internal:	PLASTIC/HI	DPE (Polyethylene High Dens	itv)	42 g
	The plastic pa		terial contains at least 0.0%		=
	The corrugated paper packaging materials contains at least 92.0% recycled content.				ycled content.
RoHS Compliance	restrictions in products work legislation in E We believe the elimination of	the Europea dwide throu urope, as w RoHS direc substances BFRs, and c		azardous Substa buted to the dev am. important role ir ed the inclusion	n promoting industry-wide of additional substances—
	We met our vo requirements scope of the co evolve.	luntary obje for virtually ommitment	ctive to achieve worldwide c all relevant products by July to include further restricted RoHS Compliance Statemen	2013, and we wisubstances as re	ill continue to extend the gulations continue to
Material Usage			ain any of the following sub ation for the Environment at		s of regulatory limits (refer



HP E24q G5 QHD Monitor

QuickSpecs

	http://www.hp.com/hpinfo/globalcitizenship/environment/supplychain/gen_specifications.html):
	 Asbestos Certain Azo Colorants Certain Brominated Flame Retardants – may not be used as flame retardants in plastics Cadmium Chlorinated Hydrocarbons Chlorinated Paraffins Bis(2-Ethylhexyl) phthalate (DEHP) Benzyl butyl phthalate (BBP) Dibutyl phthalate (BBP) Dibutyl phthalate (DBP) Disobutyl phthalate (DBP) Formaldehyde Halogenated Diphenyl Methanes Lead carbonates and sulfates Lead carbonates and sulfates Lead carbonates and sulfates Mercuric Oxide Batteries Nickel – finishes must not be used on the external surface designed to be frequently handled or carried by the user. Ozone Depleting Substances Polybrominated Biphenyl CHBBS) Polybrominated Biphenyl Oxides (PBBCs) Polybrominated Biphenyl Oxides (PBBCs) Polychlorinated Terphenyls (PCT) Polychlorinated Terphenyls (PCT) Polyvinyl Chloride (PVC) – except for wires and cables, and certain retail packaging has been voluntarily removed from most applications. Radioactive Substances Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO)
Packaging Usage	 HP follows these guidelines to decrease the environmental impact of product packaging: Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in packaging materials. Eliminate the use of ozone-depleting substances (ODS) in packaging materials. Design packaging materials for ease of disassembly. Maximize the use of post-consumer recycled content materials in packaging materials. Use readily recyclable packaging materials such as paper and corrugated materials. Reduce size and weight of packages to improve transportation fuel efficiency. Plastic packaging materials are marked according to ISO 11469 and DIN 6120 standards.
End-of-life Management and Recycling	HP offers end-of-life HP product return and recycling programs in many geographic areas. To recycle your product, please go to: http://www.hp.com/go/reuse-recycle or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner.



nore information about HP's commitment to the environment: Global Citizenship Report http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html Eco-label certifications http://www8.hp.com/us/en/hp-information/environment/ecolabels.html ISO 14001 certificates:
http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html Eco-label certifications http://www8.hp.com/us/en/hp-information/environment/ecolabels.html
http://h20195.www2.hp.com/V2/GetDocument.aspx?docname=c04755842 and http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf
 Percentage of ocean-bound plastic contained in each component varies by product Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.
 External power supplies, WWAN modules, power cords, cables and peripherals excluded. 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.
 Fiber cushions made from 100% recycled wood fiber and organic materials. Plastic cushions are made from >90% recycled plastic. Recycled metal is expressed as a percentage of the total weight of the metal according to



Technical Specifications

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft and Windows are registered trademarks or trademarks of Microsoft Corporation in the U.S. and/or other countries. ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency.

Summary

Change Log			
January 10, 2023	V1 to V2	Added	Environmental Data
	V2 to V3		

